$\mathbf{J} \cdot \mathbf{P} \cdot \mathbf{I}$

GLYCOL HEMA-METHACRYLATE

BUTYLATED HYDROXYTOLUENE

CI 60730 (EXT. VIOLET 2)

N,N-BIS(2-HYDROXYETHYL)-p-TOLUIDÎNE (DHEPT)

DROMETRIAZOLE

(BHT)

Skin Sens. 1, STOT SE 3; H317, H335

GO6860000

GO7875000

NA

NA

3077-12-1

2440-22-4

128-37-0

4430-18-6

221-359-1

219-470-5

204-881-4

224-618-7

Acute Tox. 4, Eye Dam. 1, Chronic Aq. Tox. 3;H312, H318, H412

1-5

0.1-1

0.1-1

0.1-1

NA

NA

(2)

NA

NA

NA

NA

NF

NF

(10)

NA NF

NF

NF

NF

NF

NF

NF

NF

NF

NA

NA

(10)

NA

NA

NA

NA

NA

NA

NA

NA RESP FRAC

Page 1 of 6

SAFETY DATA SHEET SDS-021 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.2 SDS Revision Date: 4/12/2018 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: CLARITÉ BY OPI LIQUID MONOMER 1.2 Chemical Name: Methacrylate Solution 1.3 Synonyms NA 1.4 Trade Names: AO (801, 802, 804, 806, 807, 808, 880) Product Use: 1.5 Professional Use Only 1.6 Distributor's Name: OPI Products, Inc. Distributor's Address: 1.7 4500 Park Granada Blvd, Calabasas, CA 91302 USA Emergency Phone 1.8 CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 19 Business Phone / Fax: Tel: +1 (818) 999-5112 2. HAZARDS IDENTIFICATION Hazard Identification: This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). WARNING! MAY BE HARMFUL IN CONTACT WITH SKIN. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Classification: Flam. Liq. 2; Acute Tox. 5; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3 2.2 Label Elements Hazard Statements (H): H225 - Highly flammable liquid and vapor. H313 - May be harmful in contact with skin. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 -May cause respiratory irritation. Precautionary Statements (P): P210 - Keep away from heat/sparks/open flame/hot surfaces - No Smoking. P233 - Keep container tightly closed. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing fume/ mist/vapors/spray. P264 - Wash exposed skin areas thoroughly with soap and water after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/eye protection/face protection. P280 – Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 – IF ON SKIN: Wash with soap and water. P305+P351+P338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P333+P313 – If skin irritation or a rash occurs – Get medical advice/attention. P321 – For specific first aid treatment (See Section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire, CO2, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF) 2.3 Other Warnings: KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m3) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL TWA PEAR PEL STEL IDLH OTHER STEL 60-100 NA 45103-58-0 KK5075000 256-190-2 NA NA NF NF NF NA NA METHOXYDIGLYCOL METHACRYLATE Skin Irrit. 2, Skin Sens. 1, Eye Irrit. 2, STOT SE 3; H315, H317, H319, H335 HYDROXYETHYL METHACRYLATE 868-77-9 OZ4725000 212-782-2 7-13 NA NA NF NF NF NA NA NA (HEMA) Acute Tox.-Dermal 5; Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; H313, H315, H317, H319 OZ4400000 202-617-2 1-5 NA NA NA 97-90-5 NA NA NF NF NF

$0.9 \cdot 1$

SAFETY DATA SHEET

Page 2 of 6 SDS-021

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.2 SDS Revision Date: 4/12/2018 4. FIRST AID MEASURES First Aid: 4.1 If ingested, do not induce vomiting! Contact Rocky Mountain Poison Control Center at 1-303-623-5716 or Ingestion: the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately. If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open Eyes: and close eyelid(s) to ensure thorough irrigation. If irritation persists seek immediate medical attention. Inhalation: Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical attention. 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression. Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Eyes: May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact. Skin: Vapors of this product may be slightly irritating to the nose, throat and other tissues of the respiratory Inhalation: system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of vapors exceeding the levels listed in Section 3 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea) Symptoms of Overexposure: 4.3 Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Acute Health Effects: 4.4 Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea Chronic Health Effects: 4.5 None known 4.6 Target Organs: Eyes, Skin, Respiratory System. Medical Conditions 4.7 Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 2 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 1 PHYSICAL HAZARDS 2 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5 1 Fire & Explosion Hazards: Keep away from heat, lit cigarettes, sparks & open flame and other sources of heat. Keep container closed. Extinguishing Methods: 5.2 CO2, Halon, Dry Chemical or Foam, as authorized. Firefighting Procedures: 5.3 When involved in a fire, this product will ignite readily and decompose to produce carbon oxides. Vapors of this product are heavier than air and may travel to a source of ignition and flash back to a leaking or open container. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. HazChem Code: NA Hazard Identification Number: NA 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 3 of 6 SDS-021

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.2 SDS Revision Date: 4/12/2018 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid prolonged contact with this material. Limit inhalation of the vapors generated by this product. Use in a wellventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. Do not eat, drink, or smoke while handling this product. Storage & Handling: 7.2 Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. Keep away from children at all times! 7.3 Special Precautions: Local exhaust ventilation is recommended. Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care 8. EXPOSURE CONTROLS & PERSONAL PROTECTION OTHER Exposure Limits: ACGIH NOHSC **OSHA** 8.1 ppm (mg/m³) ES-TI V STFI PEL STEL IDLH CHEMICAL NAME(S) PFAK TWA STFI BUTYLATED NA (10)NF NF (10)NA NA RESP FRAC HYDROXYTOLUENE (BHT) (2)8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls: Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eye Protection: Avoid eye contact. None required under normal conditions of use. However, may cause irritation in some sensitive individuals. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. When handling large quantities (e.g., ≥ 1 gallon), safety glasses with side shields should be used. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. If anticipated that prolonged & 8.5 Hand Protection: repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. However, no special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the EU member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Clear liquid 9.2 Odor Mild acrylic odor 9.3 Odor Threshold: NA 9.4 pH: NA Melting Point/Freezing Point: 9.5 NA Initial Boiling Point/Boiling 9.6 117 °C (243 °F) Range: 9.7 Flashpoint 82 °C (180 °F), closed cup 9.8 Upper/Lower Flammability NE 9.9 Vapor Pressure: ΝE 9.10 Vapor Density > 1.0 (Air = 1.0)9.11 Relative Density 0.918 9.12 Solubility: Slightly soluble 9.13 Partition Coefficient (log Pow): NΑ 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature: NA 9.16 Viscosity NA 9 17 Other Information: NA

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 4 of 6 SDS-021

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 4/12/2018 10. STABILITY & REACTIVITY Stability: 10.1 Relatively stable under ambient conditions when stored properly 10.2 Hazardous Decomposition If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon & nitrogen). 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Exposure to or contact with extreme temperatures, incompatible chemicals, strong light sources, sparks, flame. 10.5 Incompatible Substances Strong oxides, peroxides or strong acids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES 11.1 Routes of Entry: Inaestion: YES 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. This data has not been presented in this document. 11.3 Acute Toxicity See Section 4.4 Chronic Toxicity 11.4 See Section 4.5 Suspected Carcinogen This product contains Butylated Hydroxytoluene (BHT) which is not carcinogenic to humans, but is listed as Group 3 carcinogens by the IARC. 116 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans Mutagenicity: This product is not reported to produce mutagenic effects in humans. However, animal mutation data are available for the components of this product Embryotoxicity This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3 11.8 Biological Exposure Indices: NE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. 12.1 12.2 Effects on Plants & Animals: There are no specific data available for this product. 123 Effects on Aquatic Life There are no specific data available for this product. However, releases of large volumes may be harmful or fatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available, but are not presented in this SDS **DISPOSAL CONSIDERATIONS** 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** TDGR (Canadian GND) 14.4 NOT REGULATED 14.5 ADR/RID (EU) **NOT REGULATED** 14.6 SCT (MEXICO) **NOT REGULATED** 14.7 ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION SARA 15.1 Reporting This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. Requirements: 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity 15.3 TSCA Inventory Status The components of this product are listed on the TSCA Inventory or are otherwise exempt. CERCLA Reportable Quantity 15.4 NA 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)

$0.9 \cdot 1$

SAFETY DATA SHEET

Page 5 of 6 SDS-021

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 4.2 SDS Revision Date: 4/12/2018 15. REGULATORY INFORMATION – cont'd 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects) 15.7 State Regulatory Information: Methoxydiglycol Methacrylate is listed on the following state criteria list: New Jersey Right-to-Know List (NJ), and Pennsylvania Right-to-Know List (PA) Hydroxyethyl Methacrylate (HEMA) is listed on the following state criteria list: NJ, PA. Glycol Hema-Methacrylate is listed on the following state criteria list: NJ, PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information, go to www.P65warnings.ca.gov. 16. OTHER INFORMATION WARNING! MAY BE HARMFUL IN CONTACT WITH SKIN. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE 16.1 Other Information: IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Keep away from heat/sparks/open flame/hot surfaces - No Smoking. Keep container tightly closed. Take precautionary measures against static discharge. Avoid breathing fume/ mist/vapors/spray. Wash exposed skin areas thoroughly with soap and water after handling. Wear protective gloves/eye protection/face protection. Wear protective gloves/eye protection/face protection. IF ON SKIN: Wash with soap and water. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs - Get medical advice/attention. Store in a well-ventilated place. Keep cool. Precisely follow directions and SDS (available through your supplier) for use. Avoid skin contact. If redness or other signs of adverse reaction occur, discontinue use immediately. FOR PROFESSIONAL USE ONLY. KEEP OUT OF REACH OF CHILDREN. Terms & Definitions: 16.2 See last page of this Safety Data Sheet. 16.3 Disclaimer This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: 16.4 OPI Products, Inc. 4500 Park Granada Blvd Calabasas, CA 91302 USA Tel: +1 (818) 999-5112 http://www.opi.com 16.5 Prepared by: ShipMate, Inc. P O Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

SAFETY DATA SHEET

Page 6 of 6 **SDS-021**

REACTIVITY

PRECAUTIONS

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision Date: 4/12/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
IDLH	Immediately Dangerous to Life and Health			
NOHSC	National Occupational Health and Safety Commission (Australia)			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit			
STEL	Short Term Exposure Limit			
TLV	Threshold Limit Value			
TWA	Time Weighted Average			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		西	
E			
F		型	





Protective Clothing & Full Suit	Dust Respirator		
	9		
Full Face	Airline Hood/Mask		

or SCBA

Face Shield &

Respirator

OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	FLAMMADILITY
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ < :
W	Use No Water	HEALTH
ОХ	Oxidizer	
TREFOIL	Radioactive	

TOXICOLOGICAL INFORMATION:

	•
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA	U.S. Environmental Protection Agency		
DSL	Canadian Domestic Substance List		
NDSL	Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)		
WGK	Wassergefährdungsklassen (German Water Hazard Class)		

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	③	(\odot	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compress ed	Flammabl e	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Diamond		1
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment